

Intersystem Grounding Bridges with PVC Adapter

Available in zinc or bronze. Provides reliable intersystem bonding between power and communication grounding systems. Comes with a PVC adapter for 1/2" PVC pipe. Cover is UV rated plastic for long outdoor life.

CATALOG NUMBER	UPC/DCI/NAED MFG #018997	MATERIAL	UNIT PKG	STD PKG	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F
GB5P*	09720	Zinc	1	10	3.383	1.409	.872	1.653	4.575	3.461
GBB5P	09721	Bronze	1	10	3.383	1.409	.872	1.653	4.575	3.461
GBB50P	09726	Bronze	1	10	3.383	1.409	.872	1.653	4.575	3.461

 **PATENTED.**
E161207 ***MADE IN USA.**


FEATURES AND BENEFITS

- Meets 2020 NEC Ground Requirements
- Fast, simple installation on grounding conductor
- GB5P has four termination points, one more than required by 250.64 (B) (2) Sct.80 of the 2020 NEC
- Handles multiple hookups of communications systems for instance phone, cable TV, or a satellite dish
- Non-metallic cover is textured and paintable for good looks


CABLE RANGE

- Four termination points for #4-#14 (solid or stranded)
- Attaches to conductor with "Lay in" style lug with cable range of #6-#2
- GBB50P has larger cable range of #6-#1/0


INSTALLATION INSTRUCTIONS

1 


Mount conduit adapter plate in desired location using three screws (not provided).

2 


Insert grounding electrode conductor into the lay in lug.


3 


Tighten screw.

4 


Finish by attaching the cover. Good looks and a great finish!

GBB5P 

Scan For Video 



GBB5P



GBB5P